according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



**LANZARTA** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LANZARTA

Design code : A23473A

Unique Formula Identifier

(UFI)

: CCU9-N0TJ-A004-YHM3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Insecticide

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited

Jealott's Hill International Research Centre

Bracknell, Berkshire RG42 6EY

United Kingdom

Telephone : +44 (0) 1223 883400

Telefax : -

E-mail address of person

responsible for the SDS

: MSDSenquiries.UK@syngenta.com

1.4 Emergency telephone

Emergency telephone : +44 1484 538444

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Cate-

gory 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-

H410: Very toxic to aquatic life with long lasting

egory 1 effects.

### 2.2 Label elements

### Labeling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

Hazard pictograms :

\*\*

Signal Word : Warning

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed haz-

ardous-waste disposal contractor or collection site

except for empty clean

containers which can be disposed of as non-hazardous waste.

**Additional Labeling** 

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instruc-

tions for use.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

CAS-No.	Classification	Concentration
EC-No.		(% w/w)
Index-No.		
Registration number		
500008-45-7	Aquatic Acute 1;	>= 10 - < 20
	Aquatic Chronic 1;	
	H410	
	EC-No. Index-No. Registration number	EC-No. Index-No. Registration number  500008-45-7  Aquatic Acute 1; H400 Aquatic Chronic 1;

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



**LANZARTA** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60- xxxx	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0.036 - < 0.05
		M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
		specific concentration limit Skin Sens. 1A; H317 >= 0.036 %	
		Acute toxicity esti- mate	
		Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0.21 mg/l	
bronopol (INN)	52-51-7 200-143-0 603-085-00-8 01-2119980938-15- xxxx	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.025 - < 0.1
For explanation of abbreviations of		M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice : Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Nonspecific

No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : There is no specific antidote available.

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

: As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Bromine compounds Chlorine compounds

5.3 Advice for firefighters

Special protective equipment:

for fire-fighters

Wear full protective clothing and self-contained breathing ap-

paratus.

Further information : Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13). Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

### 6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



**LANZARTA** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

approval conditions laid down on the product label.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
chlorantraniliprole	500008-45- 7	TWA	5 mg/m3	Syngenta
		TWA	10 mg/m3 (Total dust)	Supplier
		TWA	5 mg/m3 (Respirable dust)	Supplier
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m3	GB EH40
		TWA (Total va- pour and parti- cles)	150 ppm 474 mg/m3	GB EH40

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Routes of expo- sure	Potential health effects	Value
bronopol (INN)	Workers	Inhalation	Long-term systemic effects	3.5 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	10.5 mg/m3
	Workers	Inhalation	Long-term local ef- fects	2.5 mg/m3
	Workers	Inhalation	Acute local effects	2.5 mg/m3
	Workers	Dermal	Long-term systemic effects	2 mg/kg
	Workers	Dermal	Acute systemic effects	6 mg/kg
	Workers	Dermal	Long-term local ef- fects	0.008 mg/cm2
	Workers	Dermal	Acute local effects	0.008 mg/cm2
	Consumers	Inhalation	Long-term systemic	0.6 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



**LANZARTA** 

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

			effects	
	Consumers	Inhalation	Acute systemic ef- fects	1.8 mg/m3
	Consumers	Inhalation	Long-term local effects	0.6 mg/m3
	Consumers	Inhalation	Acute local effects	0.6 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.7 mg/kg
	Consumers	Dermal	Acute systemic ef- fects	2.1 mg/kg
	Consumers	Dermal	Long-term local ef- fects	0.004 mg/cm2
	Consumers	Dermal	Acute local effects	0.004 mg/cm2
	Consumers	Oral	Long-term systemic effects	0.18 mg/kg
	Consumers	Oral	Acute systemic effects	0.5 mg/kg
1,2-benzisothiazol- 3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Dermal	Long-term systemic effects	0.966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Dermal	Long-term systemic effects	0.345 mg/kg
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	30 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10 mg/m3

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

		-
Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Sea water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Sea sediment	57.2 mg/kg
	Fresh water sediment	572 mg/kg
	Soil	50 mg/kg
bronopol (INN)	Fresh water	0.01 mg/l
	Sea water	0.001 mg/l
	Freshwater - intermittent	0.003 mg/l
	Sewage treatment plant	0.43 mg/l
	Fresh water sediment	0.041 mg/kg
	Sea sediment	0.003 mg/kg
	Soil	0.5 mg/kg
1,2-benzisothiazol-3(2H)-one	Fresh water	0.00403 mg/l
	Sea water	0.000403 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

Sewage treatment plant	1.03 mg/l
Fresh water sediment	0.0499 mg/kg
Sea sediment	0.00499 mg/kg
Freshwater - intermittent	0.0011 mg/l
Marine water - intermittent	0.000110 mg/l
Soil	3 mg/kg

#### 8.2 Exposure controls

### **Engineering measures**

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

## Personal protective equipment

Eye/face protection

Hand protection

: No special protective equipment required.

Remarks : No special protective equipment required. Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

### **Environmental exposure controls**

Water :

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : suspension

Color : white

Odor : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Method: Seta closed cup

does not flash

Autoignition temperature : 650 °C

Decomposition temperature : No data available

pH : 6.6

Concentration: 100 %w/v

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Vapor pressure : No data available

Density : 1.07 - 1.11 g/cm3 (20 °C)

Relative vapor density : No data available

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

None reasonably foreseeable.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Ingestion

exposure Inhalation

Skin contact Eye contact

## **Acute toxicity**

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.75 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

**Components:** 

chlorantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0.21 mg/l

Test atmosphere: dust/mist

Method: Acute toxicity estimate according to Regulation (EC)

No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

bronopol (INN):

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 6 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after

single contact with skin.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

**Components:** 

chlorantraniliprole:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

Species : Rabbit

Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit

Result : Irritating to skin.

bronopol (INN):

Species : Rabbit

Result : Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

**Components:** 

chlorantraniliprole:

Species : Rabbit

Result : No eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit

Result : Risk of serious damage to eyes.

bronopol (INN):

Species : Rabbit

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

**Product:** 

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

12 / 23

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

**Components:** 

chlorantraniliprole:

**Species** Guinea pig

Result Does not cause skin sensitization.

1,2-benzisothiazol-3(2H)-one:

Result Probability or evidence of high skin sensitization rate in hu-

mans

bronopol (INN):

**Species** Guinea pig

Result Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

chlorantraniliprole:

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects.

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

bronopol (INN):

Germ cell mutagenicity- As-

sessment

Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

**Components:** 

chlorantraniliprole:

Carcinogenicity - Assess-

No evidence of carcinogenicity in animal studies.

ment

bronopol (INN):

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified due to lack of data.

**Components:** 

chlorantraniliprole:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

13 / 23

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

1,2-benzisothiazol-3(2H)-one:

Reproductive toxicity - As-

sessment

Weight of evidence does not support classification for repro-

ductive toxicity

bronopol (INN):

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation

STOT-single exposure

Not classified due to lack of data.

Components:

chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

bronopol (INN):

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

STOT-repeated exposure

Not classified due to lack of data.

**Components:** 

chlorantraniliprole:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

bronopol (INN):

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

**Aspiration toxicity** 

Not classified due to lack of data.

**Components:** 

chlorantraniliprole:

No aspiration toxicity classification

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

**Product:** 

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.052 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)):

31.3 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

# **Components:**

chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0116 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 2

mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox- : 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

icity)

Toxicity to fish (Chronic tox-

icity)

: NOEC: 0.11 mg/l Exposure time: 90 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00447 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0.0025 mg/l Exposure time: 28 d

Species: Chironomus riparius (harlequin fly)

M-Factor (Chronic aquatic

toxicity)

10

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.18 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2.94 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.15 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.055 mg/l

End point: Growth rate Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.21 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

M-Factor (Chronic aquatic

toxicity)

: 1

bronopol (INN):

Toxicity to algae/aquatic

plants

NOEC (algae): 0.0025 mg/l

Exposure time: 72 h

EC50 (algae): 0.068 mg/l Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10

1

M-Factor (Chronic aquatic

16 / 23

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

toxicity)

12.2 Persistence and degradability

**Components:** 

chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: Not readily biodegradable.

bronopol (INN):

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

**Components:** 

chlorantraniliprole:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 2.76 (20 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

**Components:** 

chlorantraniliprole:

Distribution among environ-

mental compartments

Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 530 d

Percentage dissipation: 50 % (DT50)

Remarks: Persistent in soil.

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

**Components:** 

chlorantraniliprole:

Assessment : Substance is not persistent, bioaccumulative, and toxic

(PBT).. Substance is not very persistent and very bioaccumu-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

lative (vPvB).

1,2-benzisothiazol-3(2H)-one:

Assessment : Substance is not persistent, bioaccumulative, and toxic

(PBT).. Substance is not very persistent and very bioaccumu-

lative (vPvB).

12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

Waste Code : uncleaned packagings

15 01 10, packaging containing residues of or contaminated

by hazardous substances

**SECTION 14: Transport information** 

14.1 UN number or ID number

ADN : UN 3082 ADR : UN 3082 RID : UN 3082

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

IMDG : UN 3082 IATA : UN 3082

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(CHLORANTRANILIPROLE, 2-BROMO-2-NITROPROPANE-

1,3-DIOL)

**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(CHLORANTRANILIPROLE, 2-BROMO-2-NITROPROPANE-

1,3-DIOL)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(CHLORANTRANILIPROLE, 2-BROMO-2-NITROPROPANE-

1,3-DIOL)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(CHLORANTRANILIPROLE, 2-BROMO-2-NITROPROPANE-

1,3-DIOL)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(CHLORANTRANILIPROLE, 2-BROMO-2-NITROPROPANE-

1,3-DIOL)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**ADR** 

Packing group : III Classification Code : M6

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

Hazard Identification Number : 90 Labels : 9 Tunnel restriction code : (-)

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**RID** 

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IMDG** 

Packing group : III
Labels : 9
EmS Code : F-A, S-F

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA (Cargo)

Packing instruction (cargo :

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

964

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

#### 14.5 Environmental hazards

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Revision Date: Date of last issue: -Version SDS Number:

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

**ADN** 

Environmentally hazardous yes

**ADR** 

Environmentally hazardous yes

RID

Environmentally hazardous ves

Marine pollutant yes

IATA (Passenger)

Environmentally hazardous yes

IATA (Cargo)

Environmentally hazardous ves

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 75: If you intend to use this product as tattoo ink, please

contact your vendor.

REACH - Candidate List of Substances of Very High

Concern for Authorization (Article 59).

Regulation (EC) on substances that deplete the ozone

layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Not applicable

Not applicable

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the

E1

**ENVIRONMENTAL HAZARDS** 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

control of major-accident hazards involving dangerous substances.

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

#### Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications..

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.

H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H335 : May cause respiratory irritation. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitization

STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits Syngenta : Syngenta Occupational Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

Syngenta / TWA : Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



LANZARTA

Version Revision Date: SDS Number: Date of last issue: -

1.0 20.03.2025 S00078922451 Date of first issue: 20.03.2025

boratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### Classification of the mixture: Classification procedure:

Aquatic Acute 1 H400 Based on product data or assessment

Aquatic Chronic 1 H410 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

XI / EN